# MOON MTN DR CACTUS WREN DR STAGECOACH TR QUAIL RUN DR KELTON CORDES LAKES VICINITY MAP SCALE: 1"=600'

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# FOG SEAL ONLY

ROAD NAME	LENGTH (FT)	WIDTH (FT)	AREA (SY)*
CACTUS WREN DR 1	3,594	25	10,175
QUAIL RUN DR 1	4,556	21	10,895

AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT

## CONSTRUCTION NOTES

EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 3 FOR STRIPING QUANTITIES

# ADDITIONAL NOTES

- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE
  PROTECTED FROM CHIP SEAL
  MATERIALS PER THE CONTRACT
- DOCUMENTS.
  2. TERMINATIONS AND MATCH-UP TO NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE

# PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE-STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE—STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WIDTH SHALL BE 18", FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



# LEGEND

AREAS TO RECEIVE FOG SEAL ADDITIONAL ROADWAYS

> al 8 P.C.1 or 1-800-STAKE-IT (782-534) In Maricopa County: (602) 263-1100

**CHIP SEAL PROJECT** 

SUMMER FY 2020-2021

SHEET NAME:

PROJECT NAME:

**CORDES LAKES** 

(928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR PROJECT NUMBER: 20-22707 DESIGN BY: BWM/TMS DRAWN BY: TMS CHECKED BY:

DATE: MAY 2021

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305

5 or 17

# CORNVILLE RD CORNVILLE RD GARDEN LN RAFTER L LN CORNVILLE VICINITY MAP SCALE: 1"=600'

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# SINGLE CHIP SEAL

ROAD NAME		LENGTH (FT)	WIDTH (FT)	AREA (SY)*
LOY RD	1	9,425	24	25,418

\* NOTE: AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT

# CONSTRUCTION NOTES

EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 3 FOR STRIPING QUANTITIES

# ADDITIONAL NOTES

- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE
  PROTECTED FROM CHIP SEAL
  MATERIALS PER THE CONTRACT
- DOCUMENTS.
  2. TERMINATIONS AND MATCH-UP TO NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE

# PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE—STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE—STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WIDTH SHALL BE 18", FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



# LEGEND

AREAS TO RECEIVE CHIP SEAL

al 8 P.C.1 or 1-800-STAKE-IT (782-534 In Maricopa County: (602) 263-1100

ADDITIONAL ROADWAYS

# YAVAPAI COUNTY PUBLIC WORKS DEPARTMENT

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305 (928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR

PROJECT NAME: 20-22707 DESIGN BY: BWM/TMS

**CHIP SEAL PROJECT** SUMMER FY 2020-2021

SHEET NAME:

CORNVILLE

CHECKED BY: DATE: MAY 2021

6 OF 17

DRAWN BY: TMS

# BLUE SKY DR MARTIN WY MINGUS AV LAZY RIVER LN STATE POUTE 894 COTTONWOOD VICINITY MAP SCALE: 1"=400'

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# FOG SEAL ONLY

ROAD NAME	LENGTH (FT)	WIDTH (FT)	AREA (SY)*
ROCKING CHAIR RANCH RD 1	3,855	26	11,509

\* NOTE: AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT OF THE LENGTH AND WIDTH.

# CONSTRUCTION NOTES


EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 3 FOR STRIPING QUANTITIES

# ADDITIONAL NOTES

- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE PROTECTED FROM CHIP SEAL MATERIALS PER THE CONTRACT
- DOCUMENTS.
  2. TERMINATIONS AND MATCH—UP TO NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE

# PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE—STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE—STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WIDTH SHALL BE 18", FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



# LEGEND

AREAS TO RECEIVE FOG SEAL ADDITIONAL ROADWAYS

> al 8 P.C.1 or 1-800-STAKE-IT (782-534 In Maricopa County: (602) 263-1100

PROJECT NAME:

**CHIP SEAL PROJECT** SUMMER FY 2020-2021

SHEET NAME:

**COTTONWOOD** 

(928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR 20-22707 DESIGN BY: BWM/TMS DRAWN BY: TMS CHECKED BY:

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305

MAY 2021 7 of 17

DATE:

# EMERALD DR JSA J RAMADA DR GEMSTONE DR 51ATH 2017H 68/ VICTOR DR GLORIA DR **ROBIN DR ROBIN DR** DIAMOND VALLEY VICINITY MAP SCALE: 1"=300'

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# SINGLE CHIP SEAL

ROAD NAME		LENGTH (FT)	WIDTH (FT)	AREA (SY)*
LOIS DR		1,763	22	4,627
RAMADA DR	1	4,876	22	12,136
ROBIN DR	1	1,072	25	3,223
VICTOR DR		178	18	366
WILLIAM DR		1,456	23	3,894

AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT OF THE LENGTH AND WIDTH.

# CONSTRUCTION NOTES

EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 3 FOR STRIPING QUANTITIES

### ADDITIONAL NOTES

- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE PROTECTED FROM CHIP SEAL MATERIALS PER THE CONTRACT DOCUMENTS.
  2. TERMINATIONS AND MATCH-UP TO
- NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE CONTRACT DOCUMENTS.

# PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE-STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE-STRIPING. STRIPING WDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WDTH SHALL BE 18", FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



# LEGEND

AREAS TO RECEIVE CHIP SEAL

In Maricopa County: (602) 263-1100

ADDITIONAL ROADWAYS

# YAVAPAI COUNTY PUBLIC WORKS DEPARTMENT

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305 (928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR

PROJECT NAME:

**CHIP SEAL PROJECT** SUMMER FY 2020-2021

SHEET NAME:

DIAMOND VALLEY

DRAWN BY: TMS CHECKED BY: DATE: MAY 2021

8 of 17

PROJECT NUMBER: 20-22707 DESIGN BY: BWM/TMS

# GRANITE GARDENS DR GRANITE GARDENS DR STORM RANCH RD EAST GATE RD WILLOW LIBERTY LN WATSON LAKERD HILLSDALE GRANITE GARDENS VICINITY MAP SCALE: 1"=500'

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# SINGLE CHIP SEAL

ROAD NAME		LENGTH (FT)	WIDTH (FT)	AREA (SY)*
EAST GATE RD	(1)	50	24	163
GRANITE DELLS RD	(1)	4,754	24	12,777
GRANITE GARDENS DR		765	19	1,615
HILLSDALE RD		234	24	680
LAKE FORK		321	28	1,246
LIBERTY LN		594	24	1,639
MEADOW LN		1,395	20	3,148
OLD HIGHWAY 89A	(1)	2,050	24	5,667
TARRA AV		1,134	22	2,930

AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT OF THE LENGTH AND WIDTH.

## CONSTRUCTION NOTES


EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 3 FOR STRIPING QUANTITIES

### ADDITIONAL NOTES

- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE
  PROTECTED FROM CHIP SEAL
  MATERIALS PER THE CONTRACT
- DOCUMENTS.
  2. TERMINATIONS AND MATCH-UP TO NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE

# PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE-STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE-STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WIDTH SHALL BE 18", FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



# LEGEND

AREAS TO RECEIVE CHIP SEAL ADDITIONAL ROADWAYS

**CHIP SEAL PROJECT** 

SUMMER FY 2020-2021

SHEET NAME:

PROJECT NAME:

**GRANITE GARDENS** 

20-22707 DESIGN BY: BWM/TMS DRAWN BY: TMS CHECKED BY: DATE: MAY 2021

9 OF 17

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305 (928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR

# SENATOR HMY EAST SCHOOL HOUSE GULCH RD PINEHURST DR MARAPAI RD SENATOR HWY **ELK TR** MARAPAIRD GROOM CREEK VICINITY MAP SCALE: 1"=300'

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# SINGLE CHIP SEAL

ROAD NAME		LENGTH (FT)	WIDTH (FT)	AREA (SY)*
SCHOOL HOUSE GULCH RD	1	4,577	21	11,081

AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT OF THE LENGTH AND WIDTH.

## CONSTRUCTION NOTES

EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 3 FOR STRIPING QUANTITIES

# ADDITIONAL NOTES

- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE PROTECTED FROM CHIP SEAL MATERIALS PER THE CONTRACT DOCUMENTS.
  2. TERMINATIONS AND MATCH—UP TO
- NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE

# PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE—STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE—STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WIDTH SHALL BE 18", FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



# LEGEND

AREAS TO RECEIVE CHIP SEAL

ADDITIONAL ROADWAYS

# YAVAPAI COUNTY PUBLIC WORKS DEPARTMENT

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305 (928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR

PROJECT NAME:

20-22707 DESIGN BY: BWM/TMS **CHIP SEAL PROJECT** DRAWN BY: TMS SUMMER FY 2020-2021

CHECKED BY:

**GROOM CREEK** 

DATE: MAY 2021

10 of 17

In Maricopa County: (602) 263-1100

# THUMB BUTTE RD TO HIGHLAND PINES THUMB BUTTE RD $TO_{PRESCOTT}$ PRESCOTT VICINITY MAP SCALE: 1"=200'

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# SINGLE CHIP SEAL

ROAD NAME	LENGTH (FT)	WIDTH (FT)	AREA (SY)*
CIRCLE P DR	2,202	20	4,997


\* NOTE: AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT OF THE LENGTH AND WIDTH.

### ADDITIONAL NOTES

- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE
  PROTECTED FROM CHIP SEAL
  MATERIALS PER THE CONTRACT DOCUMENTS.
  2. TERMINATIONS AND MATCH-UP TO
- NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE

# PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE—STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE—STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WIDTH SHALL BE 18", FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



# LEGEND

AREAS TO RECEIVE CHIP SEAL

al 8 10 1 or 1-800-STAKE-IT (782-534) In Maricopa County: (602) 263-1100

ADDITIONAL ROADWAYS

# YAVAPAI COUNTY PUBLIC WORKS DEPARTMENT

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305 (928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR

PROJECT NAME:

**CHIP SEAL PROJECT** SUMMER FY 2020-2021

SHEET NAME:

PRESCOTT

CHECKED BY: DATE: MAY 2021 **11** OF **17** 

20-22707 DESIGN BY: BWM/TMS

DRAWN BY:

# TO PRESCOTT STATE ROUTE 69 EN E OLD BLACK CANYON HWY POINT DR OLD BLACK MANZANITA TR SINGLETREE TR SINGLETREE TR DURHAM RD TURQUOISE CR PIMA RD CONCHO CANYON PRESCOTT COUNTRY CLUB VICINITY MAP SCALE: 1"=500'

# CHIP SEAL PROJECT SUMMER FY 2020-2021

# SINGLE CHIP SEAL

ROAD NAME		LENGTH (FT)	WIDTH (FT)	AREA (SY)*
MANZANITA TR	(1)	4,352	28	13,540
OLD BLACK CANYON HWY	1	2,118	28	6,752
TURQUOISE CR	(1)	9,108	28	28,407

AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT OF THE LENGTH AND WIDTH.

## CONSTRUCTION NOTES

EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 3 FOR STRIPING QUANTITIES

### ADDITIONAL NOTES

- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE PROTECTED FROM CHIP SEAL MATERIALS PER THE CONTRACT DOCUMENTS.
  2. TERMINATIONS AND MATCH—UP TO
- NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE

# PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE-STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE-STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WIDTH SHALL BE 18". FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



# LEGEND

AREAS TO RECEIVE CHIP SEAL ADDITIONAL ROADWAYS

> al 8 P.C.1 or 1-800-STAKE-IT (782-534 In Maricopa County: (602) 263-1100

**CHIP SEAL PROJECT** SUMMER FY 2020-2021

PROJECT NAME:

PRESCOTT COUNTRY CLUB

20-22707 DESIGN BY: BWM/TMS DRAWN BY: TMS CHECKED BY:

MAY 2021

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305 (928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR

# **BISON LN** ANTELOPE LN JESTER CR ROUND TABLE DR TOURNAMENT TR DRAGON LN JESTER CR KNIGHTS WY SUNSET LN KINGS HWY NORTH SUNSET LN KINGS HWY WEST DUKE AV JOUSTERS AV LANCELOT AV TO PRESCOTT -COPPER HILL DR VALLEY SOUTH STATE ROUTE 69 VALLEY VICINITY MAP SCALE: 1"=400'

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# SINGLE CHIP SEAL

ROAD NAME		LENGTH (FT)	WIDTH (FT)	AREA (SY)*
ANTELOPE LN	(1)	2,131	23	5,535
CEDAR SPRINGS LN	$\overline{\langle 1 \rangle}$	3,461	32	12,238
DATE CREEK DR	(1)	4,357	25	12,103
DRAGON LN		369	25	1,115
DUCHESS DR		178	23	693
DUKE AV	(1)	242	27	1,190
INDIAN WELLS DR	(1)	2,439	23	6,222
JESTER CR	(1)	2,856	22	7,557
JOUSTERS AV	1	159	26	945
KINGS HWY EAST	1	2,597	24	7,470
KINGS HWY NORTH	(1)	446	24	1,469
KINGS HWY SOUTH	(1)	688	24	2,030
KINGS HWY WEST	(1)	2,994	23	7,958
KNAVE LN	1	349	25	1,28
KNIGHTS WY	(1)	2,444	29	4,646
LANCELOT AV	(1)	99	32	3,515
LORD CR	1	494	25	1,823
PIMA DR	(1)	1,938	22	4,822
PRINCE ST	(1)	848	23	2,635
PRINCESS LN	(1)	1,460	24	4,086
QUEEN ST		3,010	25	8,808
ROUND TABLE DR		549	28	2,007
SUPERSTITION LN	1	1,501	22	3,815
TOURNAMENT TR		445	23	1,543
TREASURE DR	(1)	2,404	22	5,943

AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT OF THE LENGTH AND WIDTH.

# $\underline{PAVEMENT\ STRIPING\ \&\ }MARKING\ NOTES$

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE-STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE—STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WIDTH SHALL BE 18", FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.

# LEGEND

AREAS TO RECEIVE CHIP SEAL ADDITIONAL ROADWAYS



# YAVAPAI COUNTY PUBLIC WORKS DEPARTMENT

CONSTRUCTION NOTES EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 3 FOR

ADDITIONAL NOTES 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE PROTECTED FROM CHIP SEAL MATERIALS PER THE CONTRACT DOCUMENTS.
2. TERMINATIONS AND MATCH-UP TO

NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE

essiona

67794

JUNYI SHAN

STRIPING QUANTITIES

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305 (928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR

PROJECT NAME:

**CHIP SEAL PROJECT** SUMMER FY 2020-2021

SHEET NAME:

PRESCOTT VALLEY

20-22707 DESIGN BY: BWM/TMS DRAWN BY: TMS CHECKED BY: DATE:

MAY 2021

# TOPRESCOTT COPPER BASIN RD MULLEN WY COPPER BASIN RD PEARLSTIEN $C_{OPPER}$ BASINRD PRESCOTT SOUTHWEST SCALE: 1"=300'

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# SINGLE CHIP SEAL

ROAD NAME		LENGTH (FT)	WIDTH (FT)	AREA (SY)*
COPPER BASIN RD	1	1,342	22	3,279

\* NOTE: AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT OF THE LENGTH AND WIDTH.

# CONSTRUCTION NOTES

EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 3 FOR STRIPING QUANTITIES

# ADDITIONAL NOTES

- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE
  PROTECTED FROM CHIP SEAL
  MATERIALS PER THE CONTRACT
- DOCUMENTS.
  2. TERMINATIONS AND MATCH—UP TO NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE

# PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE—STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE—STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WIDTH SHALL BE 18", FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



# LEGEND

AREAS TO RECEIVE CHIP SEAL

In Maricopa County: (602) 263-1100

ADDITIONAL ROADWAYS

# YAVAPAI COUNTY PUBLIC WORKS DEPARTMENT

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305

(928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR PROJECT NAME:

**CHIP SEAL PROJECT** SUMMER FY 2020-2021

SHEET NAME:

**PRESCOTT** 

**SOUTHWEST** 

CHECKED BY: DATE: MAY 2021

DRAWN BY: TMS

20-22707 DESIGN BY: BWM/TMS

# **BRIDGE CANYON** HISTORIC ROUTE 66 **ESTATES** SELIGMAN FORTROCKRD INTERSTATE 40 TO ASH FORK ROCK RD ISABELLA WY PEACEHAVEN LN **SIERRA VERDE** SELIGMAN VICINITY MAP SCALE: 1"=5000'

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# SINGLE CHIP SEAL

ROAD NAME	LENGTH (FT)	WIDTH (FT)	AREA (SY)*
FORT ROCK RD	21,239	24	57,789

AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT OF THE LENGTH AND WIDTH.

# CONSTRUCTION NOTES

EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 3 FOR STRIPING QUANTITIES

### ADDITIONAL NOTES

- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE PROTECTED FROM CHIP SEAL MATERIALS PER THE CONTRACT
- DOCUMENTS.
  2. TERMINATIONS AND MATCH—UP TO NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE CONTRACT DOCUMENTS.

# PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS COCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE—STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE BE STRIPING STRIPING WITHOUT SHALL MATCHE SYSTING. RE-STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WIDTH SHALL BE 18", FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



PUBLIC WORKS DEPARTMENT

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305

### LEGEND

AREAS TO RECEIVE CHIP SEAL

al 8 P.C.1 or 1-800-STAKE-IT (782-534 In Maricopa County: (602) 263-1100

ADDITIONAL ROADWAYS

**CHIP SEAL PROJECT** SUMMER FY 2020-2021

SHEET NAME:

PROJECT NAME:

**SELIGMAN** 

(928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR 20-22707 DESIGN BY: BWM/TMS DRAWN BY: TMS CHECKED BY:

DATE: MAY 2021

# COMANCHE DR WRANGLERSWY NAVAJO DR HORSESHOE LN DEL RIO DE BRIGADE CR TOWER DR DEL RIO DR MEDICINE POINT DR VALLEY DR HOGAN CR COLORADO DR **GRANITE DR** PIPE CREEK DR PINOT ROCK CR GRAND VIEW DR COLT CR MISSION LN ZUMI CR CHE CR MARICOPADR WESTERN DR VISTA DR PRAIRIE LN VAQUERO LN <u>VERDE VILLAGE VICINITY MAP</u> SCALE: 1"=400'

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# SINGLE CHIP SEAL

ROAD NAME	LENGTH (FT)	WIDTH (FT)	AREA (SY)*
BADGER CR	191	22	688
BAY CR (1)	169	24	1,020
BRIGADE CR	551	22	1,743
BROKEN SADDLE DR	1,807	23	5,065
BUTTE DR	1,275	24	3,466
CACTUS CR	321	25	1,346
CANYON TR	1,902	24	5,437
CAYUSE CR	505	23	1,381
CLIFF VIEW DR	826	24	2,582
COMANCHE DR	6,725	23	17,323
CONCHO TR	433	24	1,271
CORD CR	99	24	684
CORTEZ DR 1	499	24	1,672
COTTONWOOD DR	739	23	2,055
DIABLO CR	153	21	707
DIABLO DR	2,317	24	6,105
EL PASO DR	988	23	2,621
HACIENDA DR 1	262	24	887
HONDO CR	124	30	446
HOPI CR	96	23	529
HORSESHOE LN 1	1,100	22	2,975
JUNIPER TR 1	1,010	24	2,763
LARIAT CR	1,758	24	5,671
MANZANITA TR 1	794	24	2,277
MEADOW VIEW CR	95	43	454
MESA LN	2,456	22	6,596
MINER DR	252	24	691
MISSION LN	1,274	24	3,397
OXBOW TR 1	1,224	24	3,513
PINTO TR	818	24	2,435
PUEBLO RD 1	829	24	2,682
QUIRT CR	177	40	864
REBEL CR	2,490	24	6,646
RENO CR	223	25	6,745
RIATA CR	193	23	727
RIO VERDE DR	3,731	24	10,764
ROCK TR	240	24	1,063
ROUNDUP TR 1	1,302	24	3,800
SABINO TR	2,483	24	7,174
SACATON TR	434	23	1,273

# FOG SEAL ONLY

ROAD NAME		LENGTH (FT)	WIDTH (FT)	AREA (SY)*
DEL RIO DR	1	4,659	32	17,351

AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT

> al 8 P.C.1 or 1-800-STAKE-IT (782-534 In Maricopa County: (602) 263-1100

### CONSTRUCTION NOTES

EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 4 FOR STRIPING QUANTITIES

### ADDITIONAL NOTES


- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE PROTECTED FROM CHIP SEAL MATERIALS PER THE CONTRACT DOCUMENTS.
  2. TERMINATIONS AND MATCH-UP TO
- NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE

### PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE-STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS.
CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE-STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS, SYMBOLS, ETC. STOP BAR WIDTH SHALL BE 18", FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



# LEGEND



PROJECT NAME: **CHIP SEAL PROJECT** 

PUBLIC WORKS DEPARTMENT

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305

SUMMER FY 2020-2021

SHEET NAME:

VERDE VILLAGE

(928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR 20-22707 DESIGN BY: BWM/TMS DRAWN BY: TMS CHECKED BY:

> DATE: MAY 2021

# VERDE VALLEY SCHOOL RD **VERDE VALLEY** SCHOOL RD TO S.R. 179 DEER PASS DR DR **PASS** DEER **TONTO DR** RED ROCK BL SADDLEHORN RD LINDSAY WY DEER PASS DR VILLAGE OF OAK CREEK VICINITY MAP SCALE: 1"=200

# **CHIP SEAL PROJECT** SUMMER FY 2020-2021

# FOG SEAL ONLY

ROAD NAME	LENGTH (FT)	WIDTH (FT)	AREA (SY)*
RED ROCK BL 1	2,473	25	7,183

\* NOTE: AREA SHALL INCLUDE RADII, TURN BAYS AND OTHER MISCELLANEOUS AREAS, THUS THE STATED VALUE MAY BE GREATER THAN THE PRODUCT OF THE LENGTH AND WIDTH.

## CONSTRUCTION NOTES

EXISTING PAINT STRIPING OCCURS ON THESE ROADS. SEE SHEET 4 FOR STRIPING QUANTITIES

### ADDITIONAL NOTES

- 1. EXISTING UTILITY FACILITY FRAMES AND COVERS SHALL BE PROTECTED FROM CHIP SEAL MATERIALS PER THE CONTRACT DOCUMENTS.
  2. TERMINATIONS AND MATCH—UP TO
- NON-ASPHALTIC SURFACES SHALL BE CLEAN AND NEAT PER THE

## PAVEMENT STRIPING & MARKING NOTES

RESTORE PAINT STRIPING AS SHOWN PER EXISTING FIELD LOCATIONS AND LINE TYPE/COLOR. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING/LOCATING STRIPING PRIOR TO CHIP SEALING THE ROAD AND RE-STRIPING IN ORIGINAL LOCATIONS. ANY EXISTING GAPS IN STRIPING ARE TO BE RESTORED TO ORIGINAL LOCATIONS. CONTRACTOR'S SURVEYOR TO VERIFY THAT CENTERLINE STRIPING IS IN EXACT CENTER OF NEW ROADWAY BEFORE RE-STRIPING. STRIPING WIDTH SHALL MATCH EXISTING. INCLUDES ALL CENTERLINE, EDGE, STOP BARS, CROSS WALKS. SYMBOLS. ETC. STOP BAR WIDTH SHALL BE 18". FINAL PHASE SHALL BE 18" WHITE THERMOPLASTIC.



# LEGEND

AREAS TO RECEIVE FOG SEAL ADDITIONAL ROADWAYS

PROJECT NAME:

1100 COMMERCE DR. PRESCOTT, ARIZONA 86305

**CHIP SEAL PROJECT** SUMMER FY 2020-2021

VILLAGE OF OAK CREEK

(928) 771–3183

DAN CHERRY, P.E., CFM – PUBLIC WORKS DIRECTOR BWM/TMS DRAWN BY: TMS

CHECKED BY: DATE:

MAY 2021